KESSLER-SWISS PRODUCT BOOK 2024/2025

ENGLISH



REMIUM SKI AND SNOWBOARDS



MANUFACTURE

Every ski and snowboard is designed, developed and produced in Schwanden in the Canton of Glarus. Precise handiwork and a love for detail guarantee that our products are of the highest quality possible.

From the first blueprints to the wellengineered end products, our skis and snowboards go through elaborate development and production processes. Swiss craftsmanship paired with modern technology ensure that our products meet the highest quality and performance standards. The results are perfectly handcrafted products - Made in Switzerland.









PRODUCTION SITE IN SWITZERLAND

By manufacturing our products exclusively in Switzerland, we deliberately set up a countertrend in the ski industry. This has significant advantages in many respects. Thanks to the local infrastructure, new ideas and feedback from nearby test routes can directly influence our products. By controlling every production process, we can ensure that innovative developments are integrated into our products to ensure their high quality and performance.

«Modern production technology, as well as nearby test routes, form the backbone of our well-engineered and high-quality products.»

TECHNOLOGY

TIMELESS DESIGN

We demand the highest quality from our raw materials and handle them with passion and precision. Beneath the timeless and spatially optimized surface of our products are only premium materials.

The exquisite wood at the core is still the best recipe against unwanted vibration and for high performance. Depending on the area of application, the selected sidewall materials ensure maximum ice grip. Every component of Kessler products deserves the «Premium» seal according to our credo: «Pure Exterior, Maximum Power Interior.»

PURE EXTERNAL AESTHETICS...

\$≡1\$\$≡¥






...MAXIMIZED INTERNAL PERFORMANCE

PATENTED TECHNOLOGY

KST (Klothoid Shape Technology) is the patented technology used in all of our products. This type of construction was originally developed for snowboard racing and was successfully adopted for the manufacture of skis. With KST, different radii, which are achieved depending on the angle of the skis, define the driving line. As a result, the ski is more versatile. Small, tight curves, as well as wide curves, are possible with the same ski. The original construction has been constantly perfected during the last 20 years thanks to the close collaboration with Olympians and world champions. This experience can be felt in every product and is revealed through the high performance and easy handling of every one of our skis and snowboards.



Patent CH697123

«The secret of KST is the dynamic interplay between the baseline and the sidecut.»

BOARDS

PERFORMANCE, QUALITY AND SWISS CRAFTSMANSHIP

RACE/SLALOM

THE ALPINE WC Worldcup

With the new ALPINE Worldcup, Kessler has developed a snowboard that is optimally adapted to the new conditions in racing. The consistent application of the Kessler Shape Technology gives the rider full control over the board as usual. With the newly developed Torsion Power Control System (TPCS), even more energy can be stored in the swing, which then dynamically supports the swing change. The adapted geometry allows maximum speed at the exit of the turn. Success is pre-programmed.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec X woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

LEVEL		STYLE	
BEGINNER	• •	RACING	•••••
ADVANCED	••••	CARVING	•••••
EXPERT	••••	ALL MTN	
		FREERIDE	

SPECIFICATIONS

Length 1.56 m 1.62 m 1.77 m 1.86 m Tip width 252 mm 261 mm 243 mm 250 mm Waist width 192 mm 200 mm 192 mm 200 mm Tail width 234 mm 243 mm 230 mm 230 mm Average radius 10 m 11 m 16.5 m 19 m
Waist width 192 mm 200 mm 192 mm 200 mm Tail width 234 mm 243 mm 223 mm 230 mm
Tail width 234 mm 243 mm 223 mm 230 mm
Average radius 10 m 11 m 16.5 m 19 m
Recommended stance 480 mm 500 mm 480 mm 500 mm
Stance range (mm) 440-520 460-540 440-520 460-540
Rider weight 55-75 kg 75-90 kg 55-75 kg 75-90 kg

OPTIONS

ArtNo.		Length				
KS90.030	The Alpine WC	1.56 m	1.62 m	1.77 m	1.86 m	
w. Allflex inserts						

ALLFLEX narrow fits for ALPINE 1.56 m, 1.77 m ALLFLEX wide fits for ALPINE 1.62 m, 1.86 m





RACE/SLALOM

THE ALPINE

No other board has won more medals or titles at international events than THE ALPINE. Snowboarding professionals around the world highly rate the steady edge grip and the control provided in all conditions due to the Kessler Shape Technology. THEALPINE provides easy handling when competing and racing, as well as during freestyle carving on icy terrain. Feel at ease from the very first turn, no matter what level you are at. Ambitious carvers love the THE ALPINE!

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

LEVEL		STYLE	
BEGINNER	•••••	RACING	•••••
ADVANCED		CARVING	
EXPERT		ALL MTN	
		FREERIDE	

SPECIFICATIONS

Length	1.50 m	1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m
Tip width	251 mm	258 mm	264 mm	268 mm	248 mm	250 mm	251 mm
Waist width	190 mm	195 mm	200 mm	202 mm	195 mm	200 mm	202 mm
Tail width	235 mm	241 mm	246 mm	250 mm	232 mm	232 mm	233 mm
Side Cut Range	7–10 m	7–11 m	7–12 m	8–12 m	9–16 m	11.5–19 m	12–21 m
Recommended stance	440 mm	460 mm	500 mm	500 mm	480 mm	500 mm	500 mm
Stance range (mm)	400-480	420-500	460-540	460-540	440-520	460-540	460-540
Rider weight	45-65 kg	55–75 kg	65–95 kg	65–95 kg	55–80 kg	60–85 kg	75–100 kg

OPTIONS

ArtNo.		Color	Length						
KS90.013	The Alpine	black	1.50 m	1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m
KS90.023	The Alpine	white	1.50 m	1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m
KS90.013.ALF	The Alpine	black		1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m
KS90.023.ALF	The Alpine	white		1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m

ALF: ALLFLEX narrow fits for ALPINE 1.56 m, 1.71 m

ALLFLEX wide fits for ALPINE 1.62 m, 1.68 m, 1.80 m, 1.85 m



BOARDER X

X-CARVE

X-CARVE, the new board from Kessler's range of snowboards, provides for even faster and more precise carving. The proven construction of Kessler snowboards with multiple titanium layers ensures that the board rides smoothly and has torsional stiffness. A progressively decreasing sidecut in the tail area paired with the modern design at the front raises the carving experience to a new level. The board's width and 6x2 inserts give you increased flexibility to achieve your optimal binding setting.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

LEVEL		STYLE	
BEGINNER	••••	RACING	•••••
ADVANCED	••••	CARVING	•••••
EXPERT	••••	ALL MTN	•••••
		FREERIDE	•••••


SPECIFICATIONS

Length	1.54m	1.59 m	1.64 m	1.69 m	
Tip width	304 mm	308 mm	309 mm	309 mm	
Waist width	250 mm	255 mm	260 mm	264 mm	
Tail width	289 mm	293 mm	294 mm	295 mm	
Average radius	9.5 m	10.5 m	12.5 m	14.5 m	
Recommended stance	510 mm	530 mm	550 mm	570 mm	
Stance range (mm)	450-570	470-590	490-610	510-630	
Rider weight	50–80 kg	55–85 kg	65–95 kg	80–105 kg	

OPTIONS

ArtNo.	Color	Length			
KS90.040 X-CARVE	black	1.54 m	1.59 m	1.64 m	1.69 m
KS90.041 X-CARVE	white	1.54 m	1.59 m	1.64 m	1.69 m

Specifically developed for the X-CARVE: Art.-No.: KS91.032 K.Plate Rocket Cross



BOARDER X

THE CROSS

It is amazing how easy carving can be with a soft boot and surprising how smoothly THE CROSS handles in all types of conditions. THE CROSS is the ultimate all-round board concept from the Kessler snowboard range and has made its mark in the world of snowboarding! Gold medals at Winter Olympic Games and at World Championships were won with THE CROSS in Boarder-X.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

LEVEL	STYLE	
BEGINNER	 RACING	•••••
ADVANCED	 CARVING	•••••
EXPERT	 ALL MTN	
	FREERIDE	•••••


SPECIFICATIONS

Length	1.48 m	1.53 m	1.58 m	1.63 m	1.68 m
Tip width	290 mm	294 mm	297 mm	304 mm	310 mm
Waist width	238 mm	242 mm	246 mm	250 mm	258 mm
Tail width	275 mm	279 mm	282 mm	289 mm	296 mm
Side Cut Range	6–9.5 m	6.5–9.5 m	7–10 m	8–11 m	9–12 m
Recommended stance	500 mm	520 mm	540 mm	560 mm	580 mm
Stance range (mm)	460-540	480-560	500-580	520-600	540-620
Rider weight	40–55 kg	48-65 kg	55–75 kg	60–85 kg	75–98 kg

OPTIONS

ArtNo.	Color	Length				
KS90.053 The Cross	black	1.48 m	1.53 m	1.58 m	1.63 m	1.68 m

Specifically developed for THE CROSS: Art.-No.: KS91.032 K.Plate Rocket Cross



BOARDER X

THE CROSS light

Lighter build, easier to control, easier to ride. For light riders who don't want weak boards, but demand as much bite and the same performance as the heavy hitters. THE CROSS LIGHT combines the uncompromising champion properties of THE CROSS with additional effortless control and the best handling. For sheer driving pleasure at the highest level.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

LEVEL		STYLE	
BEGINNER	•••••	RACING	•••••
ADVANCED		CARVING	•••••
EXPERT		ALL MTN	•••••
		FREERIDE	•••••

SPECIFICATIONS

Length	1.48 m	1.53 m	1.58 m	1.63 m
Tip width	290 mm	294 mm	297 mm	304 mm
Waist width	238 mm	242 mm	246 mm	250 mm
Tail width	275 mm	279 mm	282 mm	289 mm
Side Cut Range	6–9.5 m	6.5–9.5 m	7–10 m	8–11 m
Recommended stance	500 mm	520 mm	540 mm	560 mm
Stance range (mm)	460-540	480-560	500-580	520-600
Rider weight	35–50 kg	45–60 kg	50–65 kg	55–70 kg

OPTIONS

ArtNo.	Color	Length			
KS90.062 The Cross light		1.48 m	1.53 m	1.58 m	1.63 m

Specifically developed for THE CROSS light: Art.-No.: KS91.032 K.Plate Rocket Cross



ALL MOUNTAIN

CONTOUR

Are you ready for freshly snow-covered deep-snow slopes or hard-packed pistes? With the new CONTOUR, anything is possible. The uncompromising power of this board ensures breathtaking performance in all conditions. The tapered directional shape gives the board enormous float in deep snow and conveys a unique surf feeling. The tried-and-tested Kessler Shape Technology also ensures enormous riding fun when carving on the piste. Depending on conditions and preferences, 7x2 inserts give you plenty of freedom when mounting your binding.

With the new CONTOUR, you are ready for anything.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.TecBP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

LEVEL		STYLE	
BEGINNER		RACING	••••
ADVANCED	•••••	CARVING	•••••
EXPERT		ALL MTN	•••••
		FREERIDE	••••


SPECIFICATIONS

Length	1.52 m	1.57 m	1.62 m
Tip width	302 mm	309 mm	315 mm
Waist width	259 mm	262 mm	265 mm
Tail width	286 mm	292 mm	298 mm
Side Cut Range	8.7 m	8.8 m	8.9 m
Recommended stance	520 mm	540 mm	560 mm
Stance range (mm)	440-600	460-620	480-640
Rider weight	45–80 kg	55–85 kg	65+ kg

OPTIONS

ArtNo.	Color	Length		
KS90.091 Contour	white/grey	1.52 m	1.57 m	1.62 m





SNOWBOARD BINDINGS, PLATES AND COVERS

K.TECH ALPINE TI

The high-end plate binding for racers and extreme carvers. Improved power transmission and flex performance due to new bail geometry.

- 3 sizes for perfect flex performance
- Quick and direct power transmission
- Anodized Titanium coating for excellent looks and corrosion resistance
- Stiff side flex especially for very narrow boards and steep binding angles
- EDS-shock absorption system for full control
- Extremely stable due to extra thick 5.9 mm stainless steel bails



Size	S: 21.5 – 26.5	M: 24.5 – 27.5	L: 26.5 – 31.0
	••••••••••••••••••••••••••••••••••	• • • • • • • • • • • • • • • • • • • •	
ArtNo.	KS91.010		

Boardcover SL/GS



Size	M: 150-169	L: 170–186
		••••••
ArtNo.	KS93.080	

ROCKET CROSS

The K. Plate Rocket Cross has been designed to meet the highest demands of Boarder-Cross-Riders. Due to the increased elevation, the board can now get even more edge without the boot or binding touching the snow. The sleek form of the binding plate guarantees an equal application of pressure on the board whilst increasing the grip of the edges and improving riding stability.

The K. Plate Rocket Cross can be customised to the width of the board, and can be easily mounted on your own.

Length: 310 mm Weight incl. screws: 1200 g Adjustable width: 230, 242, 252 mm



Art.-No. KS91.032

Boardcover Cross

	≮≡‱⊮≢	
Size	M: 148-159	L: 160–176
ArtNo.	KS93.090	

Boardcover X-Carve

	≮≢‱	
Size	M: 152–161	L: 162–171
ArtNo.	KS93.100	



CONTACT

HEADOFFICE

KESSLER-SWISS AG Sernftalstrasse 33 <u>8762 Schwan</u>den

Phone +41 41 511 79 90

info@kessler-swiss.com www.kessler-swiss.com

SALES

SWITZERLAND KESSLER-SWISS AG, Switzerland Phone: +41 41 511 79 90 info@kessler-swiss.com

GERMANY and AUSTRIA Skitrade Zippel Phone Harry: 49 160 8514526 Phone Andi: +49 171 7572652 skitrade.zippel@t-online.de ITALIA Ivo Rudiferia Phone: +39 335 78 40 359 ivo.rudiferia@kessler-swiss.com



INTERNATIONAL DISTRIBUTION

AUSTRALIA

First Tracks Snowboards 1A Nuggets Crossing AUS - NSW 2627 Jindabyne Contact: Michael Smith Phone +61264561788 info@firsttracks.com.aus

CHINA

Auric Co.,Ltd A-3,Zuiku Garden, Caochangdi, Cuigezhuang CHN - 100015 Beijing, Chaoyang District Contact: Kim Han Sol Phone +86 1025 1930 40 hansol@auricsports.com

JAPAN

Winckler & Co Ltd. 9-1, 4-chome Chojamachi, Naka-ku JP - 232-00 Yokohama Contact: Yasuto Horikawa Phone +81 788821970 snow@wslc.co.jp

ALL OTHER COUNTRIES: KESSLER-SWISS AG, Switzerland Phone +41 41 511 79 90 info@kessler-swiss.com

KAZAKHSTAN

Renat Shaimardanov Kazibek bi 29,11 KZ - 50010 Almaty Contact: Renat Shaimardarov Phone +7 7012040707 renat@agregator.kz

KOREA

H-Force Sung-won Hwang A8-57, 8F, Han River Misa 550 Misa-daero, Hanam-si KP - 12925 Gyeonggi-do Phone +82 25327944 jj3046@naver.com

KOREA

KHB International Teheran-ro 28-gil, Gangnam-gu KP - 06223 Seoul Contact: Kyung Ho Lee Phone +82 264180468 dbehaos1@hanmail.net

RUSSIA

Genza Ltd. B. Pochtovaya 20 RU - 105082 Moscow Contact: Genza Gennady Phone +7 4992612322 genza@genza.ru

SLOVENIA

Medi-sport, d.o.o. Stula 13 SL - 1210 Ljubljana Contact: Ales Rogelj Phone +38 641394972 ales.rogelj@kessler.si